Note: Acrobat Reader 4.0 or Higher is Required

JCALS TODO FUNCTIONAL USERS GUIDE (USAF)



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

<u>DISTRIBUTION STATEMENT:</u> Distribution authorized to US Government agencies and their contractors for administrative or operational use.

<u>RECOMMENDED CHANGE:</u> Recommended changes shall be sent to the AAC/WMYL, JCALS Functional Development Team, 207 West D Avenue – Suite 308, Eglin AFB, FL 32542-6844.

<u>DISCLAIMER:</u> The contents of this Instructional Guide are valid as of the date of publication. To ensure the most up to date instructions are used, view the latest version available from the JCALS Reference Library (EGLIN/EGLIN AFB - Ft. Walton Beach-FL EGLIN).

EFFECTIVE SECTION CHANGES

EFFECTIVE SECTION CHANGES PAGE - 01 OCTOBER 2002

INDEX - 01 OCTOBER 2002

SECTION(s)

- 1. 01 OCTOBER 2002
- 2. 01 OCTOBER 2002
- 3. 01 OCTOBER 2002
- 4. 01 OCTOBER 2002
- 5. 01 OCTOBER 2002
- 6. 01 OCTOBER 2002
- 7. 01 OCTOBER 2002
- 8. 01 OCTOBER 2002
- 9. 01 OCTOBER 2002
- 10. 01 OCTOBER 2002
- **10.1** 01 OCTOBER 2002
- 11. 01 OCTOBER 2002
- 11.1 01 OCTOBER 2002
- 12. 01 OCTOBER 2002
- 13. 01 OCTOBER 2002
- 14. 01 OCTOBER 2002
- 15. 01 OCTOBER 2002
- **16.** 01 OCTOBER 2002
- **16.1** 01 OCTOBER 2002
- 17. 01 OCTOBER 2002
- **18.** 01 OCTOBER 2002

*OTHER CAF TEAM RELATED MATERIAL

HAND OUT - 01 OCTOBER 2002

TRACKER - 01 OCTOBER 2002

EFFECTIVITY: JCALS SWP 3.1.1, 1 OCT 02. Replaces all earlier versions.

JCALS SWP 3.1.1 FUNCTIONAL INFORMATION

Highlights = TODO Most Used Item

General Info

- 1. Changing Your JCALS Pass Words (Changing Login and Database Passwords)
- 2. TM Processes (TYPE & SUBTYPE Screens)
- 3. Creating Shortcuts (Shortcuts to TM Processes)

Generating Reports

5. Check Status of TO Order (Manage One Time Requisition / 3.10.10 - Search for Publication Orders (Viewing a Publication Order)

Backorder Report by Account (Generate Inventory Reports / 4.2.1 – Backorder By Account Report)

- Produce ID Report by Account or Publication (Manage Initial Distribution for a TM / 4.2.52 Generate ID Report by Account or Publication
- 7. **Reconciliation Report (CSRL)** (Manage TM Accounts / 4.2.45 Generate Account Reconciliation Report)
- 8. Master Address Report (Manage TM Accounts / 4.2.50 Generate a Master Address Report)
- 9. Printing Reports in MS Word & Excel (4. Print Report Files [No Type/Subtype Reference])

10. Order a TO (Manage One Time Requisition / 3.10.9 – Order a Publication)

- 10.1 Special Instructions for ordering TO Supplements and TCTO's
- 11. Make a Few Changes to ID (Manage Initial Distribution for a TM / 3.10.6 Specify Account ID for a Publication)
 - 11.1 Special Instructions for going on ID for TCTO Series Headers
- 12. Make Many Changes to ID (Manage Initial Distribution for a TM Account / 3.10.1 Specify Initial Distribution Requirements for a TM Account)
- 13. View a TO Index (Manage TM Index / 3.9.1 View an Index Entry (Determine the Proponent of a TM)
- - 14. Find & View a Digital TO (2.7.1 Searching the Reference Library [No Type/Subtype Reference])

Managing Account

15. Document Receipt of TO's (Manage TM Accounts / 3.6.14 – Manage Receipt of Publications)

PIM

- ***(PIM ONLY)*** 16. AFTO Form 22 (Improve TM / 3.11.1 – Recommend a TM Change)
 - 16.1. HQ ACC AFTO FORM 22 COORDINATION

IRTS

17. Report & Track JCALS Related Problems (2.2.5 – Submitting an Incident, Reporting and Tracking System [IRTS] [No Type/Subtype Reference])

WWW

- 18. JCALS on the WORLD WIDE WEB
- 19. JCALS Desktop Instructions For Air Force Users (DI)

http://www.pdsm.wpafb.af.mil/toprac/JCALS DI.htm

EFFECTIVITY: JCALS SWP 3.1.1, 1 OCT 02. Replaces all earlier versions.

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

1. CHANGING PASSWORDS

1. CHANGING PASSWORDS

The following Training Aid was developed to provide visual instructions for Changing Passwords. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to Change Passwords. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Changing Passwords.




Figure 1




Figure 2




Figure 3

Figure 4

SPECIAL NOTE

As always, please make sure your passwords are at least eight characters long, comprised of upper/lowercase alpha characters, a minimum of two numbers, and one of the following special characters! @ # \$ % ^ &

Examples: Gdyesr45! prTy98by@ afRL@th25

Note: Avoid using any of the following special

characters * () _ - + =





Figure 5



- 1. Input your old Login Password.
- 2. Input your new Password (passwords are at least eight characters long, comprised of upper/lowercase alpha characters, a minimum of two numbers, and one of the following special characters! @ # \$ % ^ &
- 3. Confirm (re-input) your new password.
- 4. Click OK.

Figure 6



Figure 7




Figure 8




Figure 9



Figure 10



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

2. TM PROCESSES

2. TM PROCESSES

The following Training Aid was developed to provide visual view of the TM Processes required to use when starting each individual TM process. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to start each of the TM Processes. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives required to perform the following TM Processes.




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7





Figure 8



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

3. CREATING SHORTCUTS

3. CREATING SHORTCUTS

The following Training Aid was developed to provide visual instructions for making Shortcuts. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to Make a Shortcut. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Creating Shortcuts

CREATING SHORTCUTS

This process will work for <u>all</u> Select a TM Process Type and Subtype selections. Once a shorcut is created, it is no longer necessary to open the TM Processes folder to accomplish that task.




Figure 1




Figure 2




Figure 3




Figure 4



Figure 5



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

4. BACKORDER REPORT BY ACCOUNT

4. BACKORDER REPORT BY ACCOUNT

The following Training Aid was developed to provide visual instructions to produce a Backorder Report By Account. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to produce a backorder report by account. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives required to produce a Backorder Report By Account.

4.2.1 BACKORDER BY ACCOUNT REPORT





Figure 1






Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8

To print this report see "9 PRINTING REPORTS IN MS WORD & EXCEL" in the JTFUG training package.




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

5. VIEWING A PUBLICATION ORDER

5. VIEWING A PUBLICATION ORDER

The following Training Aid was developed to provide visual instructions for Viewing a Publication Order. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to View a Publication Order. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Viewing a Publication Order.

3.10.10 VIEWING A PUBLICATION ORDER




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9



- 1. NOTE: If a Pub Order with BB (Backorder) status is selected the CANCEL BACK ORDER button will be available. If the CANCEL BACK ORDER button has been clicked the Pub Order Status will change to BQ.
- 2. Click on the Close button when finished.





Figure 10

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

6. GENERATE ID REPORT BY ACCOUNT OR PUBLICATION

6. GENERATE ID REPORT BY ACCOUNT OR PUBLICATION

The following Training Aid was developed to provide visual instructions for Generating an ID Report by Account or Publication. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand-alone instruction. This material is intended to provide users with the minimal requirements necessary to generate an ID report by account or publication. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Generating an ID Report by Account or Publication.

4.2.52 GENERATE ID REPORT BY ACCOUNT OR PUBLICATION




Figure 1




Figure 2



Figure 3

NOTE:

TO GENERATE REPORT BY <u>PUBLICATION</u> FOLLOW FIGURES 4 THROUGH 12.

TO GENERATE REPORT BY TM ACCOUNT GO TO FIGURE 13.




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12

To View/Print refer to "9. PRINTING REPORTS IN MS WORD & EXCEL" in this training Package.

To Generate ID Report By Account go to Figure 13.




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19



Figure 20

After notification from your MS Outlook, the report is ready to be viewed/Printed.

To View/Print refer to "9. PRINTING REPORTS IN MS WORD & EXCEL" in the JTFUG Training Package.

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

7. ACCOUNT RECONCILIATION REPORT

7. ACCOUNT RECONCILIATION REPORT

The following Training Aid was developed to provide visual instructions for producing an Account Reconciliation Report. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to produce an Account Reconciliation Report. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Managing Receipt of a Publication.

4.2.45 GENERATE ACCOUNT RECONCILIATION REPORT




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6



Figure 7




Figure 8




Figure 9





Figure 10

To print this report see "9 PRINTING REPORTS IN MS WORD & EXCEL" in this training package.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

8. GENERATE MASTER ADDRESS REPORT

8. GENERATE MASTER ADDRESS REPORT

The following Training Aid was developed to provide visual instructions for generating a Master Address Report. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand-alone instruction. This material is intended to provide users with the minimal requirements necessary to generate a Master Address Report. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to generating a Master Address Report.

4.2.50 GENERATE MASTER ADDRESS REPORT




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5




Figure 6





Figure 7



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.


9. PRINT REPORT FILES

9. PRINT REPORT FILES IN JCALS

The following Training Aid was developed to provide visual instructions for saving and printing JCALS files. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a standalone instruction. This material is intended to provide users with the minimal requirements necessary to save and print JCALS files. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the assumption that the user has completed the JCALS Web Based Training (WBT) program.

4.2 REPORTS



- 1. From JCALS Session Manager, click on Tools.
- 2. Click on Utility tools.
- 3. Double click on the Server Directory Viewer icon (looks like a two drawer file).

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

Open either the MS Word or MS Excel programs. The end results of the printed report format will determine which program to use. MS Word will provide the quickest report format. MS Excel will allow easier manipulation of data i.e. sorting alphabetically or numerically, column counts and totals, etc. Go to Figure 11 for MS Excel report printing procedures. Go to Figure 6 for MS Word report printing procedures.




Figure 6




Figure 7




Figure 8

NOTE: ADJUSTMENTS (PAPER LAYOUT, PAPER SIZE, MARGINS AND OR FONT SIZE) WILL MORE THEN LIKELY HAVE TO BE MADE BEFORE THE REPORT WILL PRINT PROPERLY. Save file prior to making adjustment and printing (see Figure 9). After saving Click on the Print Preview. If adjustments are required click on File, on the pull-down menu click on Print Setup. Make the required margin and paper layout/size adjustments. Go to Print Preview again to ensure the report will print properly. In some cases a smaller font size has to be used. Remember to add a page number footer for long reports. When it has been determined that the report will print properly, save and print.




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16

- 1. Click on the Save as type pull-down menu and select Microsoft Excel Workbook (*.xls).
- 2. Type in a name in the File name field
- 3. Click on the Save button.




Figure 17




Figure 18




Figure 19



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

10. ONE TIME REQUISITIONS

RETURN TO INDEX

10. ONE TIME REQUISITIONS

The following Training Aid was developed to provide visual instructions for making a One Time Requisition of a T.O. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to process a One Time Requisition. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to making a One Time Requisition of a T.O.

3.10.9 ONE TIME REQUISITION




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5





Figure 6



- 1. If known fill in the Proponent ID, otherwise leave blank.
- 2. Fill in the Publication No. A wildcard (%) can be used to assist in the search.

 NOTE: A wildcard (%) is used to view TO Supplements (e.g. 11A8-7-1%) & TCTO's. *See Section 10.1 for special instruction on how to order TO Supplements & TCTO's.
- 3. Ensure the Pub Status is ACTIVE.
- 4. Click on the Apply button.

SEE FIGURE 12 FOR E-CODED TO'S

Figure 7




Figure 8



Figure 9



Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15



Figure 16




Figure 17




Figure 18




Figure 19

Table 1 – TO Request Status Codes

<u>Code</u>	<u>Means</u>	<u>Cause</u>	Corrective Action	Re-submit
BA	Item being processed for shipment.	Item in stock	None	No
BB	Item Backordered	Insufficient stock level	None	No
BQ	Cancelled Transaction	Valid response to a Cancel Backorder request	None	No
CA	Reject Transaction	Requisition is for a TCTO (JCALS CR required)	None	No
CD	Initial Requisition Requested Rejected	Quantity is zero or non-numeric (typo?)	Correct quantity	Yes
CF	Requisition exact Duplicate	along the same lines as the 1E error	None	Yes
CG	Unable to ID Requisition Item	TO Number is not in JCALS data base (typo?)	Correct TO Number	Yes
CJ	Item Obsolete or Inactive	TO is Superseded or Rescinded	Check with TO Manager	
CQ	Item is Command or Service Regulated	Account restrictions do not match TO restrictions	Check with TO Manager	
CV	Item Prematurely Requisitioned	Preliminary publication or ID not released	Check with TO Manager	
DQ	Quantity Exceeds Max Issue Level	Check Max Issue Level with TO Manager	Correct Quantity	Yes
NC	Account Not Allowed to Rcv Class. Item	TO classification exceeds account classification	Check with TO Manager	
1E	Suspected Duplicate Requisition	JCALS system problem (CR 23712)	None	Yes
1 S	Suspended for Sponsor Approval	TO requires Sponsor Approval	Send justification to TO Manager	No
Blank	JCALS Internal Processing Error	JCALS will automatically re-try on the next cycle	None	No
Blank	Unable to Communicate with TXP	JCALS will automatically re-try on the next cycle	None	No
Blank	Document is a TCTO Series Header. Cannot order TCTO's by Series Header	Current JCALS design does not allow requisition of TCTO's by TCTO Series Header.	TCTO's must be individually requisitioned.	Yes
SS	Split Shipment	Order was shipped in 2 or more increments	None	

Table 1

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

10.1 SPECIAL INSTRUCTIONS FOR ORDERING TO SUPPLEMENTS AND TCTO'S

RETRUN TO INDEX

10.1 SPECIAL INSTRUCTIONS FOR ORDERING TO SUPPLEMENTS AND TCTO'S

The following Training Aid was developed to provide visual instructions for ordering TO Supplements and TCTO's. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to order TO Supplements and TOCO's. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to ordering TO Supplements and TCTO's.

3.10.9 ONE TIME REQUISITION OF SUPPLEMENTS AND TCTO'S.




Figure 1




Figure 2



Figure 3




Figure 4




Figure 5





Figure 6



- 1. If known fill in the Proponent ID, otherwise leave blank.
- 2. Fill in the Publication No with a wildcard (%). A wildcard is mandatory to perform a broad search for all TO Supplements and TCTO's.
- 3. Ensure the Pub Status is ACTIVE.
- 4. Click on the Apply button.

SEE FIGURE 12 FOR E-CODED TO SUPPLEMENTS & TCTO's

Figure 7




Figure 8




Figure 9



Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19


Table 1 – TO Request Status Codes

<u>Code</u>	<u>Means</u>	<u>Cause</u>	Corrective Action	Re-submit
BA	Item being processed for shipment.	Item in stock	None	No
BB	Item Backordered	Insufficient stock level	None	No
BQ	Cancelled Transaction	Valid response to a Cancel Backorder request	None	No
CA	Reject Transaction	Requisition is for a TCTO (JCALS CR required)	None	No
CD	Initial Requisition Requested Rejected	Quantity is zero or non-numeric (typo?)	Correct quantity	Yes
CF	Requisition exact Duplicate	along the same lines as the 1E error	None	Yes
CG	Unable to ID Requisition Item	TO Number is not in JCALS data base (typo?)	Correct TO Number	Yes
CJ	Item Obsolete or Inactive	TO is Superseded or Rescinded	Check with TO Manager	
CQ	Item is Command or Service Regulated	Account restrictions do not match TO restrictions	Check with TO Manager	
CV	Item Prematurely Requisitioned	Preliminary publication or ID not released	Check with TO Manager	
DQ	Quantity Exceeds Max Issue Level	Check Max Issue Level with TO Manager	Correct Quantity	Yes
NC	Account Not Allowed to Rcv Class. Item	TO classification exceeds account classification	Check with TO Manager	
1E	Suspected Duplicate Requisition	JCALS system problem (CR 23712)	None	Yes
1 S	Suspended for Sponsor Approval	TO requires Sponsor Approval	Send justification to TO Manager	No
Blank	JCALS Internal Processing Error	JCALS will automatically re-try on the next cycle	None	No
Blank	Unable to Communicate with TXP	JCALS will automatically re-try on the next cycle	None	No
Blank	Document is a TCTO Series Header. Cannot order TCTOs by Series Header	Current JCALS design does not allow requisition of TCTOs by TCTO Series Header.	TCTOs must be individually requisitioned.	Yes
SS	Split Shipment	Order was shipped in 2 or more increments	None	

Table 1

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

11. SPECIFY ACCOUNT ID FOR A PUBLICATION

RETURN TO INDEX

11. SPECIFY ACCOUNT ID FOR PUBLICATION

The following Training Aid was developed to provide visual instructions for placing a T.O. on ID for an account. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to place a publication on ID for a TO account. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to placing a TO on ID.

3.10.6 SPECIFY ACCOUNT ID FOR A PUBLICATION





Figure 1






Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10



Figure 11




Figure 12




Figure 13




Figure 14



Figure 15





Figure 16

RETURN TO INDEX



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

11.1 SPECIAL INSTRUCTIONS FOR PLACING A TCTO SERIES HEADER ON ID

RETRUN TO INDEX

11. <u>SPECIAL INSTRUCTIONS FOR PLACING A TCTO</u> SERIES HEADER ON ID

The following Training Aid was developed to provide visual instructions for placing a TCTO Series Header on ID. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to place a TCTO Series Header on ID. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to placing a TCTO Series Header on ID.

3.10.6 SPECIFY ACCOUNT ID FOR A PUBLICATION





Figure 1






Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10



Figure 11




Figure 12




Figure 13




Figure 14



Figure 15




Figure 16

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

12. SPECIFY INITIAL DISTRIBUTION REQUIREMENTS FOR A TM ACCOUNT

12. SPECIFY INITIAL DISTRIBUTION REQUIREMENTS FOR A TM ACCOUNT

The following Training Aid was developed to provide visual instructions to perform the Specify Initial Distribution Requirements for a TM Account function. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to perform the specify initial distribution requirements for a TM account. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Specify Initial Distribution Requirements for a TM Account.

3.10.1 SPECIFY INITIAL DISTRIBUTION REQUIREMENTS FOR A TM ACCOUNT




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6





Figure 7



Several TM actions may be accomplished from this screen.

- 1. Publications can be added to the account.
- 2. Publications can be deleted from the account.
- 3. The quantities for publications added to the account or those that are currently on ID can be increased or decreased.

Figure 8





Figure 9



- 1. If the Proponent ID is not known double click on the Proponent ID field and delete the contents.
- 2. Fill in the Publication No. field with the publication to be added.
- 3. Click on the Pub Status button and select All from the pull-down menu.
- 4. Click on the Apply button.

Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

13. VIEW AN INDEX ENTRY

13. VIEW AN INDEX ENTRY

The following Training Aid was developed to provide visual instructions for View an Index Entry. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to View an Index Entry. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to View an Index Entry.

3.9.1 VIEW INDEX ENTRY





Figure 1






Figure 3

File Options Help Pub No.: 00-5-2 Issue Date: 01 Apr 20	
Pub No.: 00-5-2 Issue Date: 01 Apr 20	
Proponent ID: OC-TILDT A Change No.: Pub Status Date: 01 Apr 20	01
Service: Air-Force Revision No.: 018 Pub Status Code: ACTIVE	
Workfolder Name	
Publication Info Issue Data Management Info Management Dates Multiple Items to Pub Assoc. Pub Stock Data	,
Pub Title: TECHNICAL ORDER DISTRIBUTION SYS	
Short Title: View the Publicat	ion Info.
Publication Type: General TOs	
~	
Auth. Agency: Pub Title Security: UNCLASSIFIED Pub Security: UNCLASSIFIED Pub Security: UNCLASSIFIED	
Responsible Org: OC-TILDT A Pub Security: UNCLASSIFIED	
Prop/Wrtg Grp.: TAMCN:	
Mil-Specs: ID No.: Sponsor Code:	
Date Rescinded:	
Associated Pub No. Issue Date Pub Stock No.	
окружного.	
Associated Pub No. Issue Date Pub Stock No.	-
Changes:	

Figure 4




Figure 5




Figure 6





Figure 7






Figure 8




Figure 9

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

14. SEARCHING THE REFERENCE LIBRARY

14. SEARCHING THE REFERENCE LIBRARY

The following Training Aid was developed to provide visual instructions for Searching the Reference Library. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to Searching the Reference Library. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Searching the Reference Library.

2.7.1 SEARCH REFERENCE LIBRARY

 AVERAGE RESPONSE TIME FOR THIS PROCEDURE WITH THE PROPONENT SPECIFIED IS 30 SECONDS. RESPONSE TIME WITHOUT SPECIFYING THE PROPONENT MAY EXCEED YOUR LIFE EXPECTANCY.




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7



<u>NOTE:</u> The viewer will note that the bold LO (Latest/Official) indicates that this is the most current copy of this Tech Order. The bold "L" is next to change 1. Several functions can now take place. (1.) The Tech Order Reference Card can be viewed (Figure 9). (2.) The Tech Order can be viewed as a PDF file (Figure 11). (3.) This file can be placed into a Workfolder (Figure 13) for future use, e.g. Future Reference, E-mail, Print ...

Figure 8

2.7.2 VIEW INFORMATION CARD




Figure 9




Figure 10

2.7.3 OPEN DOC FROM SEARCH RESULTS LIST



Figure 11




Figure 12

2.7.4 SAVE A DOCUMENT TO A WORKFOLDER




Figure 13




Figure 14




Figure 15




Figure 16



Figure 17




Figure 18




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

15. MANAGE RECEIPT OF PUBLICATIONS

15. MANAGE RECEIPT OF PUBLICATIONS

The following Training Aid was developed to provide visual instructions for Managing Receipt of a Publication. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a stand alone instruction. This material is intended to provide users with the minimal requirements necessary to Manage Receipt of a Publication. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to Managing Receipt of a Publication.

3.6.14 MANAGE RECEIPT OF PUBLICATIONS BY ACCOUNT




Figure 1




Figure 2

DD FORM 1348-2 or EQUIVELANT




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7





Figure 8

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

16. RECOMMEND A TM CHANGE

16. RECOMMEND A TM CHANGE

The following Training Aid was developed to provide visual instructions for completing a Recommend A TM Change via AFTO Form 22. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a standalone instruction. This material is intended to provide users with the minimal requirements necessary to process a Recommend A TM Change. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to AFTO Form 22 processing.
- 3. The user is familiar with Organization and HQ MAJCOM routing of AFTO Forms 22 through the JCALS system.

Routing of an AFTO Form 22 can be very complex. In many cases the routing of Recommend A TM Changes through the JCALS system has not been fully developed or defined. Adding to this problem, many of the MAJCOMs have not come on line with JCALS system.


This model was constructed using a typical scenario where an AFTO Form 22 is being submitted to directly to an ALC. In the case where an AFTO Form 22 is required to be submitted to a HQ/MAJCOM the subparagraph instructions (e.g. 16.1.) of this JTFUG must be followed for that specific HQ/MAJCOM.

AFTO Form 22 in a Microsoft Word (.dot) format is available at: http://www.pdsm.wpafb.af.mil/toprac/afto22s.htm

Items you need before creating the AFTO Form 22 in JCALS are:

- 1. Have the finished <u>Word (.dot or .doc) AFTO Form 22 in electronic format</u>. (See the above site for a template for creating this document.) Routing of this document varies from installation to installation. Make sure you follow the procedures defined by your location for submitting AFTO Form 22's.
- 2. Collect any other supporting documentation. This includes drawings and photos (if any) that support your proposed change. Supporting data must be in <u>electronic format</u>. If you have documentation that is not in electronic format use a scanner or digital camera to convert it to electronic format. For items such as photos or drawings, they should be in the standard .JPG, GIF, or TIFF file types. Remember the T.O. Manager on the other end will need to open the document. Do not use files created from FormFlow/JetFlow, or any program that requires a unique program to open.

TECH MANUAL CHANGE PROCESS



3.11 RECOMMENDED CHANGE




Figure 1




Figure2





Figure 3






Figure 5




Figure 6

- 1. Note the applicable blocks have been populated, Pub No., Pub Stock No., Basic Pub Date, Revision No., Change No., and Proponent ID.
- 2. Enter the Pub information which is being recommended for change in at least two of the above open blocks, preferably the Page No. & Para No.
- 3. Left Click the Deficiency tab.




Figure 7

- 1. Insert a Short Description of Deficiency. <u>Do not use any special characters such</u> as $\sim!$ (a#\$%^&*() + or $\frac{1}{4}$, $\frac{1}{2}$, etc. in this block.
- 2. Insert the Deficiency. <u>Do not use any special characters such as ~!</u> @#\$%^&*() + or ½, ½, etc. in this block.
- 3. Add a Recommend TM Change if applicable. <u>Do not use any special characters</u> such as $\sim!$ $(a)\#\%\%\%\%\%() + or \frac{1}{4}, \frac{1}{2}$, etc. in this block.
- 4. Information in these blocks can be typed in or cut and pasted from a document file. Also, a statement such as "See Attached AFTO Form 22" can be inserted in the Deficiency block if the applicable form is added to the workflow. Do not use any special characters such as ~! @#\$%^&*() + or ½, ½, etc. in this block.
- 5. Left Click on the File icon and select Commit. Commit establishes a workfolder and saves the Recommend a TM Change to that workfolder.




Figure 8



Figure 9





Figure 10



Left click on Options icon and select Open Workfolder from the pull down menu. This will allow the PIM to add a completed AFTO 22 or <u>ANY</u> digital file i.e. .jpeg, .GIF, etc to the workfolder.

AFTO 22 in a Microsoft Word (.dot) format is available at: http://www.pdsm.wpafb.af.mil/toprac/afto22s.htm

Figure 11




Figure 12




Figure 13




Figure 14




Figure 15

DO NOT PROCEED BEYOND THIS POINT UNTIL THE FOLLOWING RULES HAVE BEEN MET:

- 1. THE PIM HAS VERIFIED THAT THIS RECOMMENDED CHANGE DOES NOT REQUIRE SPECIAL ROUTING, SEE 00-5-1 AND RELATED HQ/MAJCOM DOCUMENTS. IF SPECIAL ROUTING IS REQUIRED SEE THE RELATED HQ/MAJCOM SECTION OF THE JTFUG FOR JCALS PROCEEDURES.
- 2. IF THE RECOMMENDED CHANGE HAS BEEN COORDINTATED WITH HQ/MAJCOM AND HAS BEEN RETURNED AS APPROVED.




Figure 16



Figure 17




Figure 18




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24

NOTE: Depending upon your computer set-up, you may not see Figure 25 below.




Figure 25

16 - 13 of 20




Figure 26



Figure 27




Figure 28




Figure 29




Figure 31




Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37




Figure 38
WORKFLOW JOB VIEW




Figure 39




Figure 40




Figure 41




Figure 42




Figure 43





Figure 44







Figure 46

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

16.1. HQ ACC COORDINATION RECOMMEND A TM CHANGE

16.1. HQ ACC COORDINATION - RECOMMEND A TM CHANGE

The following Training Aid was developed to provide visual instructions for completing a HQ ACC Coordinated - Recommend A TM Change via AFTO FORM 22. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a standalone instruction. This material is intended to provide users with the minimal requirements necessary to process a Recommend A TM Change. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the following assumptions:

- 1. The user has completed the JCALS Web Based Training (WBT) program.
- 2. The user is familiar with USAF directives pertaining to AFTO Form 22 processing.
- 3. The user is familiar with Organization and HQ MAJCOM routing of AFTO Forms 22 through the JCALS system.

Routing of an HQ ACC COORDINATION AFTO FORM 22 can be very complex. In many cases the routing of Recommend A TM Changes through the JCALS system has not been fully developed or defined. Adding to this problem, many of the MAJCOMs have not come on line with JCALS system.


AFTO 22 in a Microsoft Word (.dot) format is available at: http://www.pdsm.wpafb.af.mil/toprac/afto22s.htm

DRAFT AFTO FORM 22 PROCESSING GUIDANCE FROM HQ ACC

For ACC the PIM is the entry point for all AFTO 22's into JCALS. Workcenter personnel will email or hand carry AFTO Forms 22 to the PIM who then inputs into JCALS. There may be a very small number of offices outside of the PIM who generate enough AFTO Form 22 traffic that they will use JCALS and a local workflow to flow it to the PIM, this will be determined on a base-by-base case.

The PIM will send the Rec. Change directly to the appropriate ALC or use a workflow and route it for review IAW ACC sup. TO 00-5-1. Most of the reviewers are in HQ ACC but there are exceptions and those exceptions are not JCALS users at this time. In that case the AFTO Form 22 will need to be sent using current methods outside JCALS. If a HQ ACC reviewer who is a JCALS user needs to further coordinate with a site who is not a JCALS user then the AFTO Form 22 is removed from the workfolder and routed via email. When the coordination is complete and returned it will be placed back into JCALS and released back to the PIM. The stop milestone sends a note to the PIM indicating the HQ ACC Coordinated Rec. Change is completed and ready for submittal to the ALC. Currently the local workflow used for HQ ACC includes all offices identified in ACC sup to 00-5-1. This eliminates having to customize a workflow one for each site based on weapon system used.

TECH MANUAL CHANGE PROCESS



3.11 RECOMMENDING A TM CHANGE

<u>NOTE:</u> Procedures covered in section 16., Figures 1 through 10 of the JCALS TODO FUNCTIONAL USERS GUIDE must be completed prior to processing a JCALS Recommended TM Change for HQ ACC Coordination.



Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10

PAY SPECIAL ATTENTION TO THE FOLLOWING STEPS

1. Pull the Assigned Personnel scroll bar to the top of the screen.

NOTE: The following task and decision bubbles must be changed from Brook E Jensen to reflect the name of the PIM submitting this Recommended Change.

- 2. Change the Assigned Personnel <u>Start</u> bubble from Brooke E Jensen to the PIM's name (See Figure 12).
- 3. Change the Assigned Personnel <u>Stop</u> bubble from Brooke E Jensen to the PIM's name (See Figure 16).
- 4. Change the Assigned Personnel <u>PIM Submit</u> decision bubble to the PIM's name (See Figure 20).
- 5. Change the Assigned Personnel <u>PIM</u> bubble from Brooke E Jensen to the PIM's name (See Figure 24).




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18

IMPORTANT: Always click on the No button.




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




Figure 30

The PIM's should give the Recommended Change 7 days after it has been submitted to see if it is being worked in JCALS. If the rec. chg. has not been opened after a this time a follow-up phone call should be placed to the TM manager. If the TM manager indicates that he or she does not want to use JCALS for the rec. chg. process the PIM should take note of the mangers name/directorate and forward that info to HQ ACC Recommended Change POC (MSgt Jensen, DSN: 574-4961, brooke.Jensen@langlev.af.mil then resubmit the rec. chg. using existing methods (i.e. email).

Return to Section 16 of the JTFUG for additional Recommended Change guidance.




Figure 31




Figure 32

The PIM will receive two e-mail notifications. One E-mail will notify the PIM of a Milestone COMPLETION Assignment (no action required), the other E-mail will be a PIM Decision Assignment. The PIM will double click on the To Do List icon to open the Assignment screen.

NOTE:

If the PIM's e-mail profile has not been configured to forward JCALS E-mail to the users desktop (PC) or base default mail program, the PIM must open the To Do List in the Session Managers Electronic Office to verify Rec Chg status. See figure 34 and 35.




Figure 33

NOTE:

If the PIM's e-mail profile has not been configured to forward JCALS e-mail to the users desktop (PC) or base default mail program, the PIM must open the To Do List in the JCALS Session Manager Electronic Office. Figure 34 and 35 must be completed to open the Recommended_Change task assignment.





Figure 34



When the To Do List opens note that there are two Assignments that relate to the Submitted Recommended TM Change, one for each E-mail notification the PIM will receive after submitting the task. In this case double click on the Decision for the PIM with the NOTIFIED Assignee Status that is associated with the submitted task. Go to figure 42 to continue. Note that the Milestone for the same Job indicates that the Task Status is COMPLETE. There are no further PIM requirements needed for the Milestone Start Assignment. See Figure 36 if the Milestone was double clicked by mistake.

Figure 35




Figure 36




Figure 37





Figure 38



Figure 39



Double click on the Decision Type, PIM Assignment that is associated with the Submitted Recommended TM Change.

Figure 40




Figure 41




Figure 42




Figure 43




Figure 44



Figure 45




Figure 46




Figure 47

NOTE: In the following example the <u>Task Assignment</u> with a Task Title: PIM Submit, would indicate that the HQ/MAJCOM has concurred (AGREE) with the AFTO Form 22 Rec_Chg request. The PIM would review the returned Rec_Chg request (see Figures 48 thru 57. However; had this been a notification where the HQ/MAJCOM had non-concurred (DISAGREE) with the Rec_Chg the PIM would have received a <u>Decision Assignment</u> with a Task Title: PIM. In that situation the PIM would reviewed the HQ/MAJCOM POC Comments and or Problems, make the suggested changes/corrections/additions and Release the workflow back to the HQ/MAJCOM POC or Release and select Disapprove whichever was appropriate.




Figure 48




Figure 50



Figure 51




Figure 52




Figure 53




Figure 54





Figure 55






Figure 57

NOTE: If the PIM's e-mail profile has not been configured to forward JCALS e-mail to the users desktop (PC) or base default mail program, the PIM must open the To Do List in the JCALS Session Manager Electronic Office to monitor incoming Task/Milestone notifications for Recommended Change Status Changes.




Figure 58




Figure 59




Figure 60




Figure 61



Figure 62




Figure 63




Figure 64



Figure 65




Figure 66B




Figure 67





Figure 69






Figure 70B

The PIM's should give the Recommended Change 7 days after it has been submitted to see if it is being worked in JCALS. If the rec. chg. has not been opened after a this time a follow-up phone call should be placed to the TM manager. If the TM manager indicates that he or she does not want to use JCALS for the rec. chg. process the PIM should take note of the mangers name/directorate and forward that info to HQ ACC Recommended Change POC (MSgt Jensen, DSN: 574-4961, brooke.Jensen@langley.af.mil then resubmit the rec. chg. using existing methods (i.e. email).

Return to Section 16 of the JTFUG for additional Recommended Change guidance.

JCALS FUNCTIONAL USERS TRAINING



EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

17. SUBMITTING AN INCIDENT REPORTING AND TRACKING SYSTEM (IRTS)

RETURN TO INDEX

17. SUBMITTING AN IRTS

The following Training Aid was developed to provide visual instructions for Submitting an IRTS. This aid is to be used in conjunction with the established JCALS Desktop Instructions for Air Force Users. This training aid is in no way intended to be a standalone instruction. This material is intended to provide users with the minimal requirements necessary to process an IRTS. When the user becomes familiar with these screens the more advanced functions of this program can be utilized.

These instructions are based on the assumption that the user has completed the JCALS Web Based Training (WBT) program.

17. INCIDENT REPORTING AND TRACKING SYSTEM (IRTS)

IRTS provides an on-line reporting and resolution capability for both hardware and software problems. This report is reviewed by the local System Administrator and the System Operational and Support Capability (SOSC), if necessary, and acted upon as expeditiously as possible. IRTS reports may be returned to users for additional information, for clarification of the actual problem, or for closure.

2.2.5 SUBMITTING AN IRTS

AVERAGE RESPONSE TIME FOR THIS PROCEDURE IS 45 SECONDS.

Remember, the Incident Reporting & Tracking System is only as good as the information provided. When reporting an IRTS provide all the information possible so that the process where problem has occurred can be duplicated by others. If steps are left out that led to the problem the same process can not be duplicated. Different results will occur and the problem will not be corrected.




Figure 1




Figure 2

NOTE: As much of the following information as possible should be included when submitting an IRTS;

Workfolder name	Workflow number
Publication and stock number	What was the process that was running?
What was the Air Force DI# (Desktop	Exact stored procedure name or error
Instructions) step #?	message
What is the GDMS Error?	Name of org where user belongs
Name of user or acct login	Debug file from site
Was it done on the PC or UNIX side?	Screen name where user having problem
Check OBAC	Check RBAC
Was the system up?	

Table 1




Figure 3

- 1. Select the Type process from the pull down menu that was used at the time of the error. See Figure 4.
- 2. Select the Subtype process from the pull down menu that was used at the time of the error. See Figure 5.
- 3. Select the TM Process from the pull down menu that was used at the time of the error. See Figure 5.
- 4. Select the Date from the pull down calendar & enter the Time when the problem occurred.
- 5. Select the Priority button and select the appropriate priority.
- 6. Select Description and type in a <u>detailed</u> report with references to the appropriate DI paragraphs where the problem occurred.
- 7. Select OK




Figure 4






Figure 5








Figure 9




Figure 10





Figure 11



- 1. The IRTS selected have now populated all the appropriate fields.
- 2. Individual IRTS folders can be viewed and printed if needed. Highlight the folder to be viewed.
- 3. Click on the Open folder icon. View/Print the open IRTS folder as required
- 4. To end this session select File and from the pull down menu select Exit.

Figure 12

PAGE INTENTIONALLY LEFT BLANK

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.



JCALS on the World Wide Web



Eglin JCALS

https://jcalsinfo.eglin.af.mil/

A proud member of the Air Force JCALS Team

To view the Latest Official (LO)

JCALS 3.1.1 TODO FUNCTIONIAL USERS GUIDE

(*Note: Prior to performing the below search All SWP 3.1.1 JCALS users must <u>disable</u> "Enable Full Text Search" in the Search the Reference Library screen - Option pull down menu.)

Open JCALS, double click on the **Search the Reference Library** icon (in the Electronic Office folder), click on the **Search** Icon, click on **Clear**, in the Number field type in **J%**, click on the Org Identifier Icon, click on **Clear**, in the Site: field select **EGAFB** from the dropdown menu, click on **Apply**, in the Results field select **EGLIN/EGLIN AFB - Ft. Walton Beach-FL EGLIN**, click on **ADD**, click on **OK**, click on **OK**, highlight the LO JCALS 3.1.1 TODO FUNCTIONAL USERS GUIDE file, click on the **Open** or the **Save to workfolder** Icon.

TODO Training Information

http://www.ide.wpafb.af.mil/JCALSTngWeb/Training.htm Click on "TO System Retail Operations Training Aid"

Web based Interactive Course Ware https://www.jcals.army.mil/jcals

Army JCALS https://trainingweb.jcals.army.mil/

JCALS Desktop Instructions http://pdsm.wpafb.af.mil/toprac/jcals-di.htm

AFTO FORM 22 (MS Word)
http://www.pdsm.wpafb.af.mil/toprac/afto22s.
httm

Integrated Digital Environment Program Office http://pdsm.wpafb.af.mil/

WRALC Tech Manual Support Section http://137.244.215.33/ti/tilta/

U.S. Army Aviation and Missile Command JCALS SITE

http://pubsweb.redstone.army.mil/jcals/jcals.htm

Air Force Centralized IRTS & CR Action Site http://pdsm.wpafb.af.mil/irts/HOMEPAGE.htm

EGLIN JCALS CAF HELP DESK: DSN: 872-9300 x 5777

COM: (850) 882-9300 x 5777

EFFECTIVITY: JCALS SWP 3.1.1, 01 OCT 02. Replaces all earlier versions.

RETURN TO INDEX